EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
.1	543	327/158,146,149,153,155,161,192,206,207,210,214,224,147,156,157".cds. and @pd>=20070725	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:50
2	236	1 and (delay with adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:51
3	7	2 and (average near3 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:51
4	1	3 and (@pd<="20030331" OR @ad<="20030331" OR @riad<="20030331" OR (@prad<="20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:51
31	5669	ftim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42
2	7503	ftim\$3 near2 adjust\$4 near2 (device or apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:54

33	0	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 volatge)	US-PGPUB; USPAT; USOCR; EPC; UPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:20
 35	1983	tim\$3 adjust\$4 with voltage	US-PGPUB; USPAT; USCCR; EPC; UPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:57
36	121	55 and (volt\$3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:58
57	45	S6 and (transistor with threshold)	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:18
8	2	\$7 and delay adjust\$4	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:59
510	76	96 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:19
311	693	delay near3 tim\$3 near2 adjust\$4 near2 device	US-PGPUB; USPAT; USOCR; EPC; UPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:42

S17	7	S2 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:53
S18	1	S11 and ((multiple or plurality or multiple or multi) near3 adjust\$4 near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:47
S19	107	Stand ((multiple or plurality or multiple or multi) near3 voltage)	US-PGPUB; USPAT; USPCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:55
\$20	1573	((integrated circuit) or ic) and delay time and tim\$3 adjust\$4	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 11:56
221	826	S20 and (delay\$3 near3 tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USPOR; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2007/06/08 11:57
\$22	72	S21 and ((plurality or multiple or multi) near 4 voltage)	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:58
\$23	31	S22 and (transistor with threshold)	US-PGPUB; USPAT; USPOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:24

S24	2	delay with adjustment with transistor with threshold with (change α (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:27
325	232	delay with transistor with threshold with (change or (increase or decrease)) with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:28
226	1	\$23 and \$25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29
\$27	1	S11 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:29
228	2	St and 525	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:30
29	3	Stand Stand Standard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:41
S30	7	S25 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:44

331	2	*6192092* pn.	US-PCPUB; USPAT; USCOR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 12:46
32	1	clock skew\$3 compensator	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 12:46
333	118	idock skew\$3 compensat\$3	USPCPUB; USPAT; USCOR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 12:46
34	3	(33 and (transistor with threshold)	US-PGPUB; USPAT; USCOR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 13:08
35	7121	375/354-360.cds.	USPGPUB; USPAT; USCOR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 13:19
36	705	(335 and (delay with adjust\$4)	USPGPUB; USPAT; USCOR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 13:19
37	705	\$35 and ((delay with adjust\$4) or (clock iwth compensat\$3))	USPCPUB; USPAT; USCOR; EPC; UPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 13:20

339	48	S37 and ((plurality or multiple or multi) with voltage)	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 13:36
340	3	S39 and (transistor with threshold)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:22
341	45	539 not S40	US-PGPUB; USPAT; USCOR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:55
344	2	S41 and Isi	US-PGPUB; USPAT; USCOR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:58
45	0	10/811361	US-PGPUB; USPAT; USCOR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 14:05
346	1	10/875689	US-PGPUB; USPAT; USCOR; EPC; JPC; DERWENT; BM_TDB	ADJ	ON	2007/06/08 14:06
347	1	10/875690	US-PGPUB; USPAT; USCOR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:09

348	1	10/875715	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:17
49	3282	327/141,144,146,149,153,155,161.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:19
351	25	S49 and (transistor with threshold with delay)	US-PGPUB; USPAT; USPOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36
352	4	S51 and ((pluralit\$3 or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:22
53	21	S51 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:36
54	2	6192092",pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:21
55	4069	(generat\$3 with voltage\$1 with (plurality or multiple or multi)) same adjust\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23

S56	790	\$55 and (tim\$3 near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:23
\$57	169	S55 and ((tim\$3 near3 adjust\$4) with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:24
S58	52	(957 and (volt\$3 near3 select\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 12:34
S59	10	\$58 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29
360	3	[*] *6603340*,pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:29
361	11	("5130582" "5175512" "5412349" "5453709" "5559476" "5880579" "5889439" "6060930" "6262616").PN. CR ("6603340").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
62	4	S61 and (delay with adjust\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:37
363	9	S61 and (delay)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:34
364	5	\$63 not \$62	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40
65	18371	delay with control\$4 with voltage	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/24 13:40
S66	819	\$35 and (delay adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:41

367	428	966 and integrated circuit	US-PGPUB; USPAT; USOCR; EPC; UPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
368	267	\$57 and (voltage with generat\$3)	US-PGPUB; USPAT; USCOR; EPO; UPO; DERIWENT; IBM_TDB	ADJ	ON	2007/07/24 13:42
369	110	S68 and (select\$3 with voltage)	US-PGPUB; USPAT; USOCR; EPC; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 13:43
570	5519	327/158,146,149,153,155,161,192,206,207,210,214,224,147,156,157".cds.	US-PGPUB; USPAT; USCCR; EPC; UPC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:22
571	412	S70 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPC; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
572	66	S71 and ((plurality or multi or multiple) near3 voltage)	US-PGPUB; USPAT; USCCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:24
573	39	(\$72 and (voltage with select\$3)	US-PGPUB; USPAT; USCCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:06

87	delay with adjust\$3 with transistor with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:07
81	delay with adjust\$3 with transistor with threshold with voltage	US-PCPUB; USPAT; USCCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:58
3552	375/354.ads.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
21	S76 and (delay with adjust\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:26
700681	integrated dirouit	US-POPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:58
2195	S78 and delay adjust\$4	US-PGPUB; USPAT; USOCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 09:59
150	S79 and ((average or mean) near4 delay)	US-PGPUB; USPAT; USCCR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:48
	3552 211 7700681 22195		USCOR, EPC, UPO, DERWENT; IBM_TDB 351 delay with adjust\$3 with transistor with threshold with voltage US_RGPUB; USPAT; USCOR, EPC, UPO, DERWENT; IBM_TDB 3552 375/354.cds. 21 S76 and (delay with adjust\$4 with voltage) US_RGPUB; USPAT; USCOR, EPC, UPO, DERWENT; IBM_TDB 21 Integrated dircuit US_RGPUB; USPAT; USCOR, EPC, UPO, DERWENT; IBM_TDB 700681 Integrated dircuit US_RGPUB; USPAT; USCOR, EPC, UPO, UPO, UPO, UPO, UPO, UPO, UPO, UPO	USOR; EPC, JPC, DEFWEINT; IBM_TDB	USOR EPC; DERWENT; IBM_TDB

381	58	(transistor near3 well) with delay with voltage	US-PGPUB; USPAT; USOCR; EPC; PC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:49
82	1	(transistor near3 well) with delay with voltage with apply	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:49
83	17	S81 and (delay near3 adjust\$4)	US-PGPUB; USPAT; USOCR; EPC; IPC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 10:50
84	2	*5251172*,pn.	US-POPUB; USPAT; USOCR: EPO; IPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:18
85	1	S84 and well	US-PGPUB; USPAT; USOCR; EPC; PC; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:19
86	1	S85 and (delay with threshold)	US-PGPUB; USPAT; USOCR: EPC; ;PO; DEFWENT; !BM_TDB	ADJ	ON	2007/07/25 12:20
387	13	transistor with (well near3 bias) with voltage with delay	USPGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:20

388	1	*5912591*.pn. and (bias same delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:22
389	1	*5912591*,pn. and (bias with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 14:09
390	1	10/809374	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 14:09
391	922	adjust\$3 with delay with (LSI or (integrated near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:22
992	57	adjust\$3 with delay with (LSI or (integrated near2 circuit)) with block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:23
93	50	992 and (@pd<="20030331" OR @ad<="20030331" OR @rlad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:35
394	1	S93 and (well near2 voltage)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:35
95	10	("5982214" "6081148" "6092211" "6194937" "6204713" "6278310" "6310506").PN. OR ("6593792").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 08:35
396	1	10/809374 and (delay near2 adjustment near2 section)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:08

397	1	"5353341".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:27
398	46201	(h or (frequency near2 hop\$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:28
399	709	\$98 and (signal near2 strength near2 indicator)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:28
S100	22	(399 and (hop\$4 with detect\$3 with (interference or (signal near2 energy)))	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 12:29
5101	57	adjust\$3 with delay with (LSI or (integrated near2 circuit)) with block	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:21
5102	50	Si01 and (@pd<="20030331" OR @ad<="20030331" OR @rlad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:21
6103	1	S102 and (average near3 delay)	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:21
6104	0	S102 and (average near3 dock near3 skew)	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 07:22
\$105	5410	(average near2 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:44
S106	3851	S105 and blocks	US-PCPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:44

\$107	1251	(S106 and (Isi or ic or (integrated near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:46
3108	243	S107 and (delay\$3 near2 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; UPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:46
5109	20	\$108 and (voltage with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:47
S110	11	S109 and (@pd<="20030331" OR @ad<="20030331" OR @riad<="20030331" OR (@prad<="20030331")	US-PGPUB; USPAT; USOCR; EPO; UPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 09:48
5111	2	*5087829*.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 10:15
3112	129	("4789996" "4847870"), PN. OR ("5087829"), URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/07 10:15
S113	5	S112 and (average near2 delay)	US-PGPUB; USPAT; USOOR	ADJ	ON	2008/02/07 10:21
S114	1	*5912591*.pn.	US-PGPUB; USPAT; USOOR	ADJ	ON	2008/02/07 10:22
S115	5	("5912591").UPPN.	USPAT	ADJ	ON	2008/02/07 10:23
S116	12116	(voltage near3 select\$3) with control	USPAT	ADJ	ON	2008/02/07 10:46
5117	189	S116 and (delay near2 adjust\$4)	USPAT	ADJ	ON	2008/02/07 10:47
S118	0	S117 and ((average near3 delay) with block)	USPAT	ADJ	ON	2008/02/07 10:47

S119	4	S117 and (average near3 delay)	USPAT	ADJ	ON	2008/02/07 10:48
6120	6695	(voltage near2 generat\$3) with (voltage near2 select\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 11:09
3121	92	S120 and (delay near2 adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 11:10
5122	77	S121 and (@pd<="20030331" OR @ad<="20030331" OR @riad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 11:10
5123	15841	delay with (integrated circuit)	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 07:58
5124	339	S123 and delay with (circuit block)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 07:58
3125	269	S124 and (@pd<="20030331" OR @ad<="20030331" OR @riad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 07:59
S126	129	S124 and (delay with (drouit block) with (integrated dirouit))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 07:59

S127	4	S126 and (average near2 delay\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 08:00
S128	55	S125 and (delay near2 adjustment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2008/07/22 08:03
5129	2	°6192092" pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 08:22
5130	31	("4992676" "5062124" "5087829" "5146306" "5293626" "5374904" "5457429" "5465347" "5495195" "5548249" "557045" "5572557" "5610548" "5652530" "5790839" "5815540" "5852640" "6870445" "6002282").PN. OR ("6192092").URPN.	US-PGPUB; USPAT; USOOR	ADJ	ON	2008/07/22 08:22
3131	26	S130 and (@pd<="20030331" OR @ad<="20030331" OR @riad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 08:22
5132	0	S131 and (delay with each with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 08:24
3133	11	S131 and (delay with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 08:25
S134	43	("3104330" "4769558" "4812684" "4912340" "4926066" "5140184" "5172330" "5204559" "5206661" "5239215" "5254955" "5258660" "5278466" "5307381" "5309035" "5430397"),PN. OR ("5570045"),URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/07/22 09:21

3135	42	S134 and (@pdc="20030331" OR @adc="20030331" OR @rladc="20030331" OR @pradc="20030331" OR @pradc="2003030" OR @pradc="20030331" OR @pradc="20030331" OR @pradc="20030331" OR @pradc="2003031" OR @pra	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 09:21
136	1	10/809374	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 09:50
137	61	integrated circuit with ((clock near2 skew) or delay) with (averag\$3 near3 delay)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 10:02
5139	43	S137 and (@pd<="20030331" OR @ad<="20030331" OR @riad<="20030331" OR @prad<="20030331")	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 10:02
140	4	S139 and (transistor with threshold)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 10:10
141	5	S139 and (voltage with select\$3)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 10:13
6142	12	S139 and (voltage with delay\$3)	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/22 10:16

S143	513	375/354-360.cds. and @pd>*20070608*	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:24
S144	85	S143 and (delay with adjust\$4)	US-PCPUB; USPAT; USCOR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:25
S145	4	S144 and (average near3 delay)	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:25
S146	232	327/141,144,146,149,153,155,161.cds. and @pd>="20070608"	US-PCPUB; USPAT; USCOR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:26
S147	116	S146 and (delay with adjust\$4)	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:27
S148	3	S147 and (average near3 delay)	US-PGPUB; USPAT; USCOR; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 10:27

^{7/23/2008 10:52:32} AM

C:\ Documents and Settings\ slee7\ My Documents\ EAST\ Workspaces\ 10809374.wsp